

Aceros estructurales no aleados (EN10025-2:2004)

EN 10025-2:2004	EN 10025:1993	DIN 17100:1983	UNE 36080:1990	NFA 35-501	BS 4360:1996	UN 7070	ASTM
S235JR	S235JRG2	ST 37-2	AE 235 B-FN	E 24-2	40 B	FE 360 B	
S235J0	S235J0	St 37-3 U	AE 235 C	E 24-3	40 C	Fe 360 C	
S235J2+N	S235J2G3	St 37-3N	AE 235 D	E 24-4	40 D	Fe 360 D	
S275JR	S275JR	St 44-2	AE 275 B	E 28-2	43 B	Fe 430 B	A36
S275J0	S275J0	St 44-3 U	AE 275 C	E 28-3	43 C	Fe 430 C	A 283-D
S275J2+N	S275J2G3	St 44-3 N	AE 275 D	E 28-4	43 D	Fe 430 D	
S355JR	S355JR		AE 355 B	E 36-2	50 B	Fe 510 B	A 572-50
S355J0	S355J0	St 52-3 U	AE 355 C	E 36-3	50 C	Fe 510 C	A 633-C
S355J2+N	S355J2G3	St 52-3 N	AE 355 D		50 D	Fe 510 D	A 633-D
S355K2+N	S355K2G3			E 36-4	50 DD		
S355K2	S355K2G4						
S185	S185	St 33	A 310-0	A 33		Fe 320	
E295	S295	St 50-2	A 490	A 50-2		Fe 490	
E335	S335	St 60-2	A 590	A 60-2			
E360	S360	St 70-2	A 690	A 70-2		Fe 690	